

GÖLZ®



Wire Saws


www.golzgroup.com



Gözl BorMatic, auto feed for core drill and wire saw rigs




230 Volt - single phase motor drives the wire saw and core drill motor



Drive wheel \varnothing 400 mm for excellent wire transmission



Modular Gözl pulley system with quick release for easy transport and setup



Maximum safety by two-piece wire guard, easy to assemble



KS400 is based on core drill rig KB400

Portable compact wire saw for small cutting jobs from 400x400 mm to 800x800 mm.


WIRE SAW KS400

Compact wire saw based on core drill rig KB400 for small cutting jobs.

Especially designed for small and precise cutting jobs, either dry or wet.
Based on the modular Gölz system, the KS400 can be converted to a core drill rig within a few minutes.

Wire drive:

Driven by a single phase, 3,3 kW core drill motor and automatic feeding unit BorMatic500. Good cutting performance in reinforced steel, dry or wet, by using premium 8 mm Gölz diamond wire.



Technical data KS400

Wire storage:	2,40 meter
Overall wire length:	5,5 meter
Wire-Ø:	8 mm
Drive pulley:	Ø 400 mm
Dimensions (DxWxH)	550x810x1100 mm
Weight complete:	98 kg



COMPACT WIRE SAW KS400 WITH SINGLE PHASE MOTOR AND AUTOMATIC FEEDING




DRY WIRE SAWING

- Historical buildings
- Occupied offices or buildings
- small cuts and openings




**GÖLZ KS 400 -
Dry wire sawing of granite pillars**





Hydraulic motor



Feeding motor



Modular Gölz pulley system with quick release for easy transport and setup



Maximum safety by two-piece wire guard, easy to assemble



KS600 is based on drill rig KB500

Compact and high performance wire sawing in construction structures


WIRE SAW KS600

Safe and clean, dry and wet wire sawing

The most efficient solution for wire sawing in reinforced concrete and brickwork.

Based on the modular Gölz system, the KS600 wire saw can be setup in short time. Conversion to a core drill rig within just a few minutes.

- Wire saw is based on KB500 core drill rig
- Easy setup by modular quick release system
- Drive motor and feed motor can be attached simply by quick connectors
- Wire storage 5,5 m



- Quick, reliable and safe working by directly attaching the wire saw to the cutting surface
- Wire guard allows safe and clean operation
- Wire storage optimized by using corner pulley




Technical data KS600

Hydraulic motor:	30 l/min at 250 bar
Wire storage:	5,50 meter
Overall wire length:	11 meter
Wire pulley:	Ø 200 mm
Drive pulley:	Ø 400 mm
Dimensions: (DxWxH)	650x850x1820 mm
Weight:	128 kg







Remote control




Fully galvanized frame



Big wheels for easy moving at job site



Lifting eye



Oil temperature and pressure controls

Drive unit HA15S with remote control suitable for hydraulic wire saws, wall saws and drilling


HA15S POWER PACK

- Remote control for wire saw drive motor and hydraulic feed motor
- Water cooled oil cycle
- 3 separate oil cycles (30 l/min and 40 l/min for hydraulic drive, 6 l/min for feeding motor)
- Electric motor can be disassembled for easy transport



Technical data HA15S

Motor	3 phase, 400 Volt, 32 A, electric motor
Power:	15 kW (S1) / 20 kW (S2)
Hydraulic pump:	gear type pump
Operation pressure :	250 bar
Feeding pressure:	6 l/min, at 0-60 bar
Oiltank:	11 liter
Weight complete:	130 kg
Dimensions (DxWxH):	640x570x970 mm



Gözl KS600 - Compact wire saw for ambitious cutting jobs in PORTS and WATER GATES






BUNKER Reconstruction Efficient and quick wire sawing in heavy walls

- Short set up at the jobsite
- Easy transport





Wire sawing in heavy reinforced concrete as also cutting of STEEL PLATFORMS and STRONGBOX



COMPACT WIRE SAW KS600



Efficient and quick cutting of **CONCRETE PIPES** directly in the central shaft. **GÖLZ** modular system allows short setup times and easy transport on and to the jobsite.



Saws

GÖLZ®

GÖLZ®



Floor saws

www.goelz.de

GÖLZ®



Core drilling

www.goelz.de

GÖLZ®



Slurry solutions

www.goelz.de

GÖLZ®



**Tile saws - Masonry saws -
Block saws**

www.goelz.de

GÖLZ®



GÖLZ GmbH

Postfach 26 | 53938 Hellenthal

Dommersbach 51 | 53940 Hellenthal-Blumenthal

Phone +49 (0) 2482 - 120 | Fax +49 (0) 2482 - 12 222

Mail info@goelz.de | Web www.goelz.de

